

STANDS, BOOMS & POLES



MINI CATALOGUE



STAND,BOOMS & POLES



1. Manfrotto -020 clip for cable (Ref: dm-1020)

Clamps on diameter: 18mm to 26mm. Allen key not supplied. Set of four.



3. Manfrotto >154B Microphone support (Ref: dm-1154B)

65cm black long T Bar with 3 x 16mm sockets plus 3 x 16mm Spigot Art. 013. Designed to fit on stand or bracket with 16mm pin.



5. Manfrotto 018 caster set 22mm (Ref: dm-2018)

Caster wheel set for stands with legs Ø: 22 mm. Set of three



7. Manfrotto 104 wheel set w/brake (Ref: dm-2104)

Manfrotto Wheel Set Of 3 75MM With Brakes & M10 Attachment



9. Manfrotto 109 wheel set (3) 80mm (Ref: dm-2109)

Manfrotto 109 80mm Caster without Brakes for all 22mm Leg Diameters - Set of 3 (MANFROTTO 109)



11. Manfrotto 110G wheel set (3) 100mm w/brake (Ref: dm-2110G)

Wheel ø: 100mm with brake, with adapter for legs ø: 22mm.
Weight
3.2 kg (7.1 lbs)



2. Manfrotto 143FV variable angle dble fork (Ref: dm-1143VF)

Holds 2 styrene gobos to reflect or cut light on a subject.



4. Manfrotto 017 caster set 19mm (Ref: dm-2017)

Set of three caster wheels for Manfrotto stands with 19mm diameter legs.



6. Manfrotto 103 wheel set (Ref: dm-2103)

The Manfrotto MF 103 Wheel Set is a set of 380mm diameter solid wheels



8. Manfrotto 104G wheel set (3) 100mm (Ref: dm-2104G)

3.9" Wheel set with brakes and M10 Attachment, set of 3.



10. Manfrotto 110 wheel set (3) 75mm w/brake (Ref: dm-2110)

Manfrotto 110 Wheel Set 75mm Diameter with Brakes and Adapter for 22mm Legs



12. Manfrotto A9000 wheel set (3) 100mm w/brake (Ref: dm-29000)

This is A9000 Wheel Set with Brakes. This three piece, silver metal, braked 4.0" wheel set is designed for square light stand leg ends that measure 20x20mm or 25x25mm such as those on Combo stands A105B, A125B, A115B, A475B and A105B.



STAND,BOOMS & POLES



13. Manfrotto 020MT Casting Joining 2 sec (Ref: dm-4020)

Used to connect two tubes end to end.



15. Manfrotto 093 Cable clips large set (Ref: dm-4093)

Set of four.



17. Manfrotto D520 101cm EXT Grip arm (Ref: dm-4530)

Extension Grip Arm 40in AVENGER



19. Avenger #D210B Snap in grip head (Ref: dma-D210B)

The Avenger D210 2.5" Snap-in Grip Head is designed to hold grip arms, scrims, flags, etc. It has an automotive-quality brake pad for a secure hold on accessories.



21. Avenger D340 camera flexextension kit (Ref: dma-D340)

Camera Flexextension Kit with Flexextension Arm, 2 Mini Clamps, 3/8" Adapter, 10mm Socket Adapter, Black Plastic Flag.



23. Manfrotto #D410 Jumbo add-a-head head (Ref: dma-D410)

Aluminum Alloy Construction
Works with the Super Clamp System



25. Avenger D700B reflector holder >122cm (Ref: dma-D700B)

Black extension Arm. Max Length: 122cm -
Min Length: 47cm.



14. Manfrotto 064 Cable clips small set (Ref: dm-4064)

Set of four. Small Cable Clip 18mm to 26mm



16. Manfrotto 206 Cable clips Medium set (Ref: dm-4206)

Set of four.

Clamps on : 25 to 28mm.
Allen key not supplied.



18. Avenger #D210 Snap in grip head (Ref: dma-D210)

Aluminum Construction
5/8" Hex Stud



20. Avenger #D220 Grip helper head (Ref: dma-D220)

Just as the name suggests, the Grip Helper is like three Grip Heads in one. Two independent grip heads sandwich a third with a fixed 16mm pin.



22. Manfrotto D400B grip black head (Ref: dma-D400B)

Designed to convert a Junior Stand into an overhead stand, the D400 incorporates a 4-1/2" (10mm) grip head with a junior stud and receiver.



24. Avenger D520 40inch Ext grip arm (Ref: dma-D520)

Normally used in combination with a Grip head (art. D200) it provides an extended grip point for scrims and flags or small lights.



26. Manfrotto #D800KIT grip set (Ref: dma-D800SET)

Set of accessories that work on their own or in combination with stands to support scrims, flags and lighting fixtures to provide precision and secure control.



STAND,BOOMS & POLES



27. V-Tec CSB100 Boom arm for C stand (Ref: 28-SCSB100)

Boom arm for C-Stand



29. V-Tec LSB3 light boom set (Ref: 28-SLSB3)

2.25m Stand with boom and sandbag counterweight
Boom length 121-211cm.



31. Manfrotto 085BSL light boom no-stand boom (Ref: dm-0085BSL)

Heavy Duty 3-Section Boom

Weight: 2.2kg, boom only. Dismantled length: 100cm. Assembled: 280cm. * 6kg at maximum extension.



33. Manfrotto >098SHB Wall short 0.7>1.2mtr boom (Ref: dm-0098SHB)

This is the Manfrotto 098B Wall Mounted Black Boom Arm. Unlike the Auto Boom, which may be attached to a wall or a stand, this boom arm must be attached to a wall



35. Manfrotto 024 Light boom (Ref: dm-1024B)

Black Light Boom (Stand Not Included)

Three sections max extension to 2.1 m
Dismantled length is 71cm (28") for ease storage or transport
Supplied with counterweight.



37. Manfrotto 025B Super w/stand black boom (Ref: dm-1025B)

Top tube diameter 35mm 1 section boom arm complete with Pivoting Clamp 123, Counter Weight 022, Cable Clips and Cine Stand 008 with casters. (BLACK)



28. V-Tec CSB100F Boom arm for C stand (Ref: 28-SCSB100F)

Boom arm for C-Stand



30. Manfrotto 085B light boom 85 w/stand SET (Ref: dm-0085B)

Diameter Black 35mm 3 section boom arm complete with Pivoting Clamp 123, Counter Weight 022, Cine Stand 3071 with casters, cable clips and locking key, boom only.



32. Manfrotto 098B Wall 1.2>2.1mtr boom (Ref: dm-0098B)

Two sections boom, max extension 2,1m (82,6in)

Wall mounted boom, allows 180° pan and 160° tilt movements
Aluminum construction with black finish



34. Manfrotto 254B Auto Boom (Ref: dm-0254B)

Boom arm for heavy stand or wall bracket mounting featuring self balancing spring system. Supplied with wall bracket.



36. Redwing 6220 Remote 260cm Redwing boom (Ref: dm-1025-6220-R)

Studio shooters will appreciate the ease of light-angle control offered by this heavy-duty, telescopic boom. Location shooters will enjoy its portability.
(Not including stand)



38. Manfrotto 025BS Super w/stand Silver boom (Ref: dm-1025BS)

Top tube diameter 35mm 1 section boom arm complete with Pivoting Clamp 123, Counter Weight 022, Cable Clips and Cine Stand 008 with casters. (SILVER)



STAND,BOOMS & POLES



39. Manfrotto 025BSL Super without stand boom (Ref: dm-1025BSL)

The strongest and most popular boom on the market offering the most control. The Manfrotto Super Boom features coaxial geared controls at the end of the boom, which permits movement a full 180°.



40. Manfrotto >420B Combi-Boom stand Black (Ref: dm-1420B)

Aluminium stand. Supplied with sandbag counterweight (empty) for maximum stability and smoothness.



41. Manfrotto 420CSU Combi-Boom stand HD steel (Ref: dm-1420CSU)

Aluminium stand. Supplied with sandbag counterweight (empty) for maximum stability and smoothness. Legs and column in steel, last two sections in aluminium.



42. Manfrotto 425B Mega boom no stand (Ref: dm-1425B)

Largest boom in the range, remote control of pan, tilt and rotation of light fixture plus geared telescopic extension.



43. Avenger A2030DKIT 40in C-Stand SET (Ref: dma-A2030DSET)

Chrome plated steel stand. 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm. includes: A2030D C-STAND D200 2" GRIP HEAD D520 40" EXTENSION GRIP ARM



44. Avenger >A2033LKT 33 Sliding L stand SET (Ref: dma-A2033LKIT)

Chrome plated steel stand. 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm. includes: A2033L C-STAND D200 2" GRIP HEAD D520 40" EXTENSION GRIP ARM



45. Avenger #A4041B 41 boom stand (Ref: dma-A4041B)

Supplied with sandbag counterweight (empty) for maximum stability and smoothness. Black aluminium stand. 4 sections, 3 risers. Ø: 35, 30, 25, 20mm. Leg: 20x20mm. 1 levelling leg. Min extension boom 113cm. Max load 15kg.



46. Avenger A4050CS 50 Steel Boom stand (Ref: dma-A4050CS)

Chrome steel stand with 4 sections, 3 risers and 1 levelling leg.



47. Redwing 6210 Boom arm 185cm (Ref: hbcr6210)

This low-priced, lightweight boom arm is strong enough to support most light units - with or without a medium size soft box.



48. Redwing 6245 Standard light boom (Ref: hbcr6245)

This boom is perfect for the general studio or low-angle applications that other booms can't handle. With the angle indicator, you can easily repeat a setup.



49. Phottix 88199 160cm inc sbag Boom arm (Ref: T-60-88199)

The Phottix Light Stand Boom Arm turns any light stand into a boom stand. The Boom Arm attached to standard light stands and offers a 160cm (62") extendable boom.



50. Phottix 88220 395cm & sbg boom stand (Ref: T-60-88220)

A light stand with built-in boom arm - sandbag counterweight included. This stand extends to 395cm - put a light exactly where you need it.



Note: Specifications, information and pricing are subject to change without notice

STAND,BOOMS & POLES



51. Phottix 88230 SS boom & C-stand (Ref: T-60-88230)

The ultimate light stand - the professional's choice. Made from stainless steel the Phottix Professional Light C-Stand and Boom extends to 280cm and offer great flexibility for flashes, studio lights, flags and other studio gear.



53. Manfrotto 157B-4 Microphone boom (Ref: dm-6157B-4)

Microphone Boom - 67-210cm



55. Rode Boompole (Ref: r-02-Boompole)

The RØDE Boompole is a precision balanced professional boom pole for location recording, machined from high grade, lightweight aluminium.



57. Rode Boompole Clips pack of 5 (Ref: r-02-Boompole-clips)

The RØDE Boompole Clips are designed to quickly and easily mount onto any RØDE boompole to secure the microphone lead and minimise any movement.



Supplied in a pack of 5.

59. Rode Boompole Micro Pro Ultra light 2.2m (Ref: r-02-BoompoleMicroPro)

The Micro Boompole Pro is a unique, modular booming device that allows location sound engineers to capture audio in confined or difficult spaces



61. Rode Boompole Pro Carbon 3mtr boom (Ref: r-02-BoompolePro)

Made from carbon fibre, the RØDE Boompole Pro weighs only 535gm (18oz) and, from a compact 810mm (2' 8"), extends to a full 3m (10'). Designed for use with professional shotgun microphones such as the RODE NTG3 as well as the Blimp windshield system,



52. Manfrotto 157B-3 Microphone boom (Ref: dm-6157B-3)

The Manfrotto 157B-3 Microphone Boom 3 Sect is constructed of electro-welded aluminium tubes which yield higher tensile strength and hardness, when compared to extruded aluminium tubing, used to construct cheaper products



54. Manfrotto MICC4 Microphone holder Pro (Ref: dm-6MICC4)

Rubber dampening system to absorb vibrations. Swiveling yoke has 3/8" threaded hole. Universal type microphone clip. Grabs microphones from diameter 20mm to 35mm



56. Rode Boompole Bag (Ref: r-02-Boompole-bag)

The BoomPole Bag is a high-quality neoprene carry bag designed to accommodate a boompole with shock mount and microphone attached.



58. Rode Boompole Micro 2063mm 396gm (Ref: r-02-BoompoleMicro)

The RØDE Micro Boompole provides ultimate boom pole performance in a convenient and portable size.



60. Rode Boompole Mini 2.2mtr (Ref: r-02-BoompoleMini)

The RØDE Mini-Boompole is a lightweight, high grade professional boom pole.



62. Manfrotto 027 Wall mt holder 8 std (Ref: dm-1027)

Holder for 8 light stands. Width: 115cm. Distance between fixing holes: 64.4cm. Depth: 19cm



STAND,BOOMS & POLES



63. Manfrotto 806 Mini 190 salon stand (Ref: dm-3806)

Tower stands (also known as Studio- or Column Stands) offer studio photographers rock solid support for photo equipment of all formats up to the largest view or field cameras



65. Manfrotto 816 Super 280 salon stand (Ref: dm-3816)

The Manfrotto 816 Tower Stand 280CM is Manfrotto's Top-of-the-Line stand that brings the ultimate in stability to new heights in your studio



67. Manfrotto 820 Column extension 45cm (Ref: dm-3820)

The Manfrotto 820 Column Extension 45cm is Manfrotto Horizontal Extension Arm for Salon, Super Salon Stands. The Manfrotto 820 fits 0836 Salon and 0866 Super Salon Camera Stands.



69. Manfrotto 824 Revolving head adapter (Ref: dm-3824)

Revolving head with 3/8" threaded fitting.



71. Manfrotto 840 Addition camera mount (Ref: dm-3840)

Manfrotto 840 Additional Camera Mount - This optional camera holder allows to put a second camera on the horizontal arm of your Studio Stand. For model 806.



73. V-Tec CST19 C-Stand 192cm (Ref: 28-SCST19)

CST-19 C-Stand 192cm



64. Manfrotto 809 Mini 230 salon stand (Ref: dm-3809)

Just slightly lighter in construction, the Salon 230 has a 8cm diameter black anodised aluminium column with a working height of 221cm provided with an adjust-able counter-balanced sliding horizontal 80cm crossarm.



66. Manfrotto 816.1 Super 230 salon stand (Ref: dm-3816-1)

height 284.0 cm minimum height 60.0 cm maximum height 274.0 cm weight 80.00 kg load capacity 15.00 kg



68. Manfrotto 822 Low angle adapter (Ref: dm-3822)

The Manfrotto 822 Low Angle Adaptor Arm S Shaped s connection bracket between the horizontal arm and the column extension which permits increasing or decreasing the shooting point compared to the horizontal arm.



70. Manfrotto 826 Additional Camera holder arm (Ref: dm-3826)

Manfrotto 826 Additional Camera Holder - This optional camera holder allows to put a second camera on the horizontal arm of your Studio Stand. For model 809, 816 and 816/1.



72. Manfrotto 844 Utility tray (Ref: dm-3844)

29x29CM Tray for Super Minisalon



74. V-Tec .CST24 C-Stand 240cm (Ref: 28-SCST24)

CST series C-Stand



STAND,BOOMS & POLES



75. V-Tec -LM-3900GA/B Pro stand 390cm
(Ref: 28-SLM3900)

Metal Collar Large Size Light Stand

77. Manfrotto 126BSUAC Heavy duty stand
(Ref: dm-0126BSUAC)

Chrome plated steel stand air cushioned. 3 sections, 2 risers. 1 levelling leg.

79. Manfrotto 146B Ext 3 sec H/duty ext
(Ref: dm-0146B)

This Manfrotto 146CS High Steel Stand Extension attaches to the top of your heavy duty stand and extends its height an additional 53 - 123.6" (1.4 x 3.1 m).

81. Manfrotto 231CS Column Chrome stand
(Ref: dm-0231CS)

Chromium plated steel post: diameter: 35mm. Height of light fixture: from ground level to 250cm. Complete with braked wheels. 1 levelling leg.

83. Manfrotto #256BUAC-3 Self lock High stand
(Ref: dm-0256BUAC-3)

Black self-locking 3-section, air-cushioned cine stand with levelling leg

76. V-Tec LM-4800HL Pro stand 480cm
(Ref: 28-SLM4800HL)

Metal Collar Video Stand

78. Manfrotto 126CSU Heavy duty stand
(Ref: dm-0126CSU)

This is a Manfrotto 126BSU Heavy Duty Cine Stand. It is made of black, anodized steel and rises to a maximum height of 11' (3.3 m). Its leveling leg eases use on uneven terrain or stairs. This stand has three sections, two risers

80. Manfrotto 231B Column Black stand
(Ref: dm-0231B)

Black aluminium post: diameter: 35mm. Height of light fixture: from ground level to 250cm. Complete with braked wheels. 1 levelling leg.

82. Manfrotto #256BUAC Self lock stand
(Ref: dm-0256buac)

The Manfrotto 256 Self Lock Stand features Professional Monopod with the handy addition of three retractable legs

84. Manfrotto #269 BU super stand
(Ref: dm-0269BU)

Manfrotto Black 14.9' Super Alu Stand with Leveling Leg

STAND,BOOMS & POLES



85. Manfrotto 269 HDBU super giant blk stand (Ref: dm-0269HDB-3U)

269HDB-3U is based on the 269HDBU lighting stand modified to support your camera up to 7.3m (24 ft.). The special top attachment permits you to attach a camera head, or directly attach your camera.



87. Manfrotto 298B alu-studio 3sec stand (Ref: dm-0298B)

Black steel base, silver anodised aluminium sections, complete with wheels. 3 sections, 2 risers. 1 levelling leg.



89. Avenger #A0030B baby alu stand (Ref: dma-A0030B)

Black aluminium stand. 4 sections, 3 risers. Ø: 35, 30, 25, 20mm. Leg: 20x20mm. 1 levelling leg.



91. Avenger #A1035B Combo stand (Ref: dma-A1035B)

Aluminium stand. 3 sections, 2 risers. Ø: 45, 40, 35mm. Leg: 25x25mm. 1 levelling leg



93. Avenger #A2016D 20in Detach base stand (Ref: dma-A2016D)

Chrome plated steel stand. 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.



86. Manfrotto 269 HDBU High black stand (Ref: dm-0269HDBU)

Aluminium stand. 6 sections, 5 risers. 1 levelling leg.



88. Manfrotto 299B Studio base stand (Ref: dm-0299B)

Black steel base, silver anodised aluminium sections. Supply with low profile base that slip easily into position on sets, one levelling leg and casters. 3 section, 2 riser Ø: 35, 30, 25mm Supplied with Spigot 013



90. Avenger A1020B Combo 20 stand (Ref: dma-A1020B)

Aluminum Alloy Construction
2 Risers, 3 Sections
Mount: 5/8" Male and 1/ 1/8" Female



92. Avenger #A2014 Double riser 20in column (Ref: dma-A2014)

3 sections (Ø: 35, 30, 25mm) chrome steel column.



94. Avenger #A2018L 20in sliding leg stand (Ref: dma-A2018L)

The Avenger Century stand is unlike any other. Fitted with captive handles that do not vibrate free; utilizing a new lightweight steel making them up to 1kg lighter but just as strong; triple chrome plating resistant to corrosion




STAND,BOOMS & POLES




95. Avenger #A2025L 30in sliding leg stand (Ref: dma-A2025L)

Chromium plated steel stand with 3 sections and 2 risers.




96. Avenger #A2025LCB 30in sliding leg stand (Ref: dma-A2025LCB)

Black, chromium plated, steel stand. 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.



97. Avenger #A2030D 40in detach base stand (Ref: dma-A2030D)

Chrome plated steel stand. 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.




98. Avenger A2030DCB 40in detach base stand (Ref: dma-A2030DCB)

Chrome plated steel stand. 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm. Black




99. Avenger A2030DCBKIT 40in C-Stand SET (Ref: dma-A2030DCBSET)

Black Chrome plated steel stand. 3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm. includes: A2030D C-STAND D200 2" GRIP HEAD D520 40" EXTENSION GRIP ARM




100. Avenger A2033LCB fixed Leg stand (Ref: dma-A2033FCB)

Black chrome steel legs and aluminium risers. Weight: 4kg. DIN15560: 0,2kg@328cm.




101. Avenger A2033L 40in sliding leg stand (Ref: dma-A2033L)

Chromium plated steel stand with 3 sections and 2 risers.




102. Avenger A2033LCB Sliding Leg stand (Ref: dma-A2033LCB)

Black Chrome plated steel stand with 3 sections and 2 risers.



103. Avenger #A3056CS Low Combo stand (Ref: dma-A3056CS)

Chrome steel stand. 4 sections, 3 risers. Ø: 45, 40, 35, 30mm. Leg: 25 x 25mm. 1 levelling leg.



104. Avenger A5029 Lighting roller 29 stand (Ref: dma-A5029)

Locking Wheels
Two Risers
5/8" Stud



STAND,BOOMS & POLES



105. Avenger #A0025B Mini stand (Ref: dma-AL25)

Black aluminium stand. 3 sections, 2 risers. Ø: 35, 30, 25, 20mm. Leg: 20x20mm. 1 levelling leg.



107. SP-SYSTEMS SP POV smart pole 28" (Ref: gps-53018)

Add new perspective and energy to your takes with the SP-Gadgets POV POLE 28"! Simply attach your GoPro® to this extremely handy and lightweight telescopic pole and get going – no additional accessories needed.



109. SP-SYSTEMS SP POV remote pole 23" (Ref: gps-53020)

The SP-Gadgets REMOTE POLE lets you shoot like a pro with no effort! Just click your GoPro® Wi-Fi Remote or Smart Remote into the enclosure on the Remote Pole and get going.



111. SP-SYSTEMS POLE 22 agent orange (Ref: gpu-POLE22O)

The UKPro POLE 22 POV GoPro Camera Pole gets you above the action to get the angles you thought were impossible.



113. SP-SYSTEMS POLE 54 Electric blue (Ref: gpu-POLE54HBD)

The UKPro POLE 54 POV GoPro Camera Pole gets you above the action to get the angles you thought were impossible.



115. Manfrotto 1012B backlight stand (Ref: dm-1012B)

Black steel base with detachable aluminium column, 2 sections, 1 riser. A versatile stand allowing fixtures to mount on the ground or on the included pole for extra height.



106. Avenger D200B 2.5" avenger grip head (Ref: dma-D200B)

Avenger's most popular grip accessory. The D200 Grip Head has hundreds of functions. Unlike other grip heads, the D200 utilizes a series of washers for extra locking torque and the use of auto-quality brake pad discs for secure, non-slip security



108. SP-SYSTEMS SP POV smart pole 39" (Ref: gps-53019)

Add new perspective and energy to your takes with the SP-Gadgets POV POLE 39"! Simply attach your GoPro® to this extremely handy and lightweight telescopic pole and get going – no additional accessories needed.



110. SP-SYSTEMS SP POV remote pole 39" (Ref: gps-53021)

The SP-Gadgets REMOTE POLE lets you shoot like a pro with no effort! Just click your GoPro® Wi-Fi Remote or Smart Remote into the enclosure on the Remote Pole and get going.



112. SP-SYSTEMS POLE 38 Electric blue (Ref: gpu-POLE38HBD)

The UKPro POLE 38 POV GoPro Camera Pole gets you above the action to get the angles you thought were impossible.



114. Manfrotto 003-1 Spl back light base (Ref: dm-1003SPL)

The hole at the end of each leg enables the user to nail the stand to the floor, hang it on a wall or fix it to the ceiling. Same as 003MF but with 16mm male attachment (Type 22).



116. Manfrotto 099B Baby Extension Black stand (Ref: dm-1099B)

3 section aluminium extension. Minimum height: 88cm. Maximum height: 235cm.



VANBAR
IMAGING



Further Details				
Item No.	1-20000	1-10000	1-20000	1-50000
Section	4	2	3	4
Max. Height (m)	256	128	204	204
Min. Height (cm)	97	108	119	128
Weighted	82	96	104	113
Height (cm)				
Power (1/100)	96	130	130	130
Diameter of (cm)		25		
Legs (mm)				
Power (1/100)	25000-4000	31-4000	280-1000	25000-4000
Full Head (mm)	1/4 or 3/8 inch (changeable) (vertical or horizontal)			
Weight (kg)	1.8	2.0	2	



Further Details				
Item No.	1,000	1,100	1,240	1,300
Section	3	3	4	
Max. height (cm)	100	110	240	300
Min. height (cm)	34	46	38	39
Collapsed	42	45	30	83
Height (cm)				
Is used 0 (cm)	130	80	94	98
Diameter of sagittum	-	19	19	19
Power 0 (cm)	16/202	17/225	16/202/25	
(stud headlines)		1.4 or 3/6		
Self Weight (kg)	2.0	0.8	1.1	1.3




STAND,BOOMS & POLES




131. Manfrotto 5001B Nano
stand
(Ref: dm-1001B)

Aluminum stand. 5 sections, 4 risers. An ideal stand for kits due to its compact design.




132. Manfrotto 1004BAC Master
(inbox)stand
(Ref: dm-1004BAC)

Aluminium stand, air cushioned. 4 section




133. Manfrotto 1004BAC Master 3 pack (1box)stand
(Ref: dm-1004BAC-3)

Aluminium stand, air cushioned. 4 section
TRIPLE PACK




134. Manfrotto >1005BAC Ranker
in BOX stand
(Ref: dm-1005BAC)

Aluminium stand, 3 section.




135. Manfrotto -1005BAC Ranker
3 pack stand
(Ref: dm-1005BAC-3)

Aluminium stand, 3 section. TRIPLE PACK




136. Manfrotto 1051BAC Compact mini
in box stand
(Ref: dm-1051BAC)

Aluminium stand, air cushioned. 4 sections, 3 risers.



137. Manfrotto 1051BAC Compact mini 3 pack stand
(Ref: dm-1051BAC-3)

Aluminium stand, air cushioned. 4 sections, 3 risers. (set of 3)




138. Manfrotto 1051BAC Compact mini 3pck &BAG KIT
(Ref: dm-1051BAC)

Aluminium stand, air cushioned. 4 sections, 3 risers. (set of 3)
With free manfrotto LBAG90. offer ends 30/09/2014



139. Manfrotto 1051BAC Compact mini (nobox) stand
(Ref: dm-1051BAC-nobox)

Aluminium stand, air cushioned. 4 sections, 3 risers. (one only no box)



140. Manfrotto >1052BAC Compact
stand
(Ref: dm-1052BAC)

Great compact air cushioned stand, ideal for speedlite use.



STAND,BOOMS & POLES



141. Manfrotto -1052BAC Compact 3 pack stand (Ref: dm-1052BAC-3)

Set of 3 1052BAC stands, factory packed.



142. Manfrotto -1052BAC Compact (no box) stand (Ref: dm-1052BAC-N)

Set of 3 1052BAC stands, factory packed.(one only no box)



143. Manfrotto 330 Macro Bracket (Ref: dm-9330)

Allows two flash heads to be mounted with a camera onto a tripod head. Allows horizontal or vertical camera position. Attachments: 3/8" and 1/4" female threads + 1/4" camera fixing screw.



144. V-Tec Stand 380cm 3sec steel (Ref: T-60-0380)

Steel lighting stand Max height(cm):380
Folded hieght(cm):95 4 section



145. Inca iLK1 Light stand kit (Ref: diLK1)

Stand Lighting Kit H2050mm
40" Umbrella
Univ Cold Shoe
incl Carry Bag



146. Phottix STROBE 2 Dual Umbrella Kit (Ref: T-60STROBE2)

Kit Strobist Dual Umbrella Studio kit inc
Varos II Holder
85330 85350 87216 88200 92512



147. Manfrotto >022 Counterweight 7.0 kg (Ref: dm-1022)

Manfrotto 022 Counter Balance Weight - 7.0kg



148. Manfrotto >023 Counterweight 4.3 kg (Ref: dm-1023)

Manfrotto 023 Counter Balance Weight - 4.3kg



149. Manfrotto 834 Counterweight 2.0 addit (Ref: dm-1834)

The 834 4.4 lbs additional counterweight may be screwed to the counter-weight inside the column of the Salon 230, 280, and Super Salon 230 Camera Stands



150. V-Tec 502 5 kg full Shotbag (Ref: SW-9502-05)

5Kg Shot Bag double stiched with carry handle



151. V-Tec 503 10 kg full Shotbag (Ref: SW-9503-10)

10 Kg Shot Bag double stiched with carry handle



152. V-Tec 503 10 kg yel/blck safety weight (Ref: SW-9503SW-10)


For use by roadwork construction or utility crews, safety weights stabilise all types of traffic signs, barriers and ladders.



Note: Specifications, information and pricing are subject to change without notice

STAND,BOOMS & POLES



153. V-Tec 504 15 kg full Shotbag (Ref: SW-9504-15) 15Kg Shot Bag double stiched with carry handle 
155. V-Tec 506 20 kg full ShotBag (Ref: SW-9506-20) 20Kg Shot Bag double stiched with carry handle 
157. V-Tec 513 10 kg full SandBag (Ref: SW-9513-10) 10kg Sand Bag Double stiched with handle 
159. V-Tec 527 2.5kg Black shot marker bag (Ref: SW-9527-025) 2.5kg Marker bag Black 
161. V-Tec 527 2.5kg Green shot marker bag (Ref: SW-9527G-025) 2.5kg Marker bag Green 
163. V-Tec 527 2.5kg white shot marker bag (Ref: SW-9527W-025) 2.5kg Marker bag White 
165. V-Tec 529 5 kg w/hndle shot sausage bag (Ref: SW-9529-05) 5Kg Sausage Sand Bag 
167. Redwing 3010 4.5kg empty sandbag (Ref: SW-CR3010) This empty Cordura bag can be filled, emptied and refilled with shot. Its saddlebag design features two compartments which can be easily filled and zippered shut. While the zipper closures are protected with a secure, Hook and Loop locking flap. 

154. V-Tec 504 15 kg yel/blck safety weight (Ref: SW-9504SW-15) For use by roadwork construction or utility crews, safety weights stabilise all types of traffic signs, barriers and ladders. 
156. V-Tec 512 5 kg full SandBag (Ref: SW-9512-05) 5kg Sand Bag Double stiched with handle 
158. V-Tec -514 15 kg full SandBag (Ref: SW-9514-15) 15kg Sand Bag Double stiched with handle 
160. V-Tec 527 2.5kg Blue shot marker bag (Ref: SW-9527B-025) 2.5kg Marker bag Blue 
162. V-Tec 527 2.5kg red shot marker bag (Ref: SW-9527R-025) 2.5kg Marker bag Red 
164. V-Tec 527 2.5kg yellow shot marker bag (Ref: SW-9527Y-025) 2.5kg Marker bag Yellow 
166. V-Tec 529 10 kg w/hndle shot sausage bag (Ref: SW-9529-10) 10 Kg Sausage Sand Bag 
168. Redwing 3015 7.0kg empty sandbag (Ref: SW-CR3015) This empty Cordura bag can be filled, emptied and refilled with shot. Its saddlebag design features two compartments which can be easily filled and zippered shut. While the zipper closures are protected with a secure, 

Note: Specifications, information and pricing are subject to change without notice

STAND,BOOMS & POLES



169. Redwing 3025 19 kg empty sandbag (Ref: SW-CR3025)

This empty Cordura bag can be filled, emptied and refilled with shot. Its saddlebag design features two compartments which can be easily filled and zippered shut.



171. Phottix Bag II small empty sandbag (Ref: SW-PH88187)

Bag Stay-Put II S Phottix 88187 filled with sand and hung on the shoulder console tripod or stand as a counterweight. It is an indispensable accessory for the job.



173. Phottix Bag II Large empty sandbag (Ref: SW-PH88189)

Bag Stay-Put II S Phottix 88189 filled with sand and hung on the shoulder console tripod or stand as a counterweight. It is an indispensable accessory for the job.



175. V-Tec BG10 10kg empty sandbag (Ref: SW-SBG10)

BG5 10 Kg capacity empty sandbag



177. Manfrotto 007BUAC senior air cushion stand (Ref: dm-0007BUAC)

Aluminium air-cushioned stand. 3 sections, 2 risers. 1 levelling leg.



179. Manfrotto 008BU cine without/wheels stand (Ref: dm-0008BU)

Black Aluminium stand. 2 sections, 1 riser. 1 levelling leg.



170. Manfrotto 200G 16kg empty sandbag (Ref: SW-G9200)

SAND BAG 12KG W/OUT SAND



172. Phottix Bag II medium empty sandbag (Ref: SW-PH88188)

Bag Stay-Put II S Phottix 88188 filled with sand and hung on the shoulder console tripod or stand as a counterweight. It is an indispensable accessory for the job.



174. V-Tec BG5 5 kg empty sandbag (Ref: SW-SBG05)

BG5 5 Kg capacity empty sandbag



176. Manfrotto #007BU senior stand (Ref: dm-0007BU)

Aluminium stand. 3 sections, 2 risers. 1 levelling leg.



178. Manfrotto 008BSU cine without/wheels stand (Ref: dm-0008BSU)

Black Steel stand. 2 sections, 1 riser. 1 levelling leg.



180. Manfrotto 070BU Follow spot stand (Ref: dm-0070bu)

Aluminium stand. 2 sections, 1 riser. 1 levelling leg. Memory collar included.



STAND,BOOMS & POLES



181. Manfrotto 070CSU Follow spot stand (Ref: dm-0070CSU)

Chrome plated stand. 2 sections, 1 riser. 1 levelling leg. Memory collar included. This stand was named for its low height and high payload allowing the lighting technician to easily follow on actor.



183. Manfrotto >083NWB Wind up Black stand (Ref: dm-0083NWB)

Black steel stand with geared column. Elevation: 2.2cm per handle turn. 2 sections, 1 riser. 1 levelling leg



185. Manfrotto >087NWSH Wind up short stand (Ref: dm-0087nws)

Short Wind-up stand.



187. Manfrotto 387XBU Super wind up light stand (Ref: dm-0387XBU)

Heavy duty stand with strenghtened stainless steel structure
Two black chrome steel riser sections and geared column
Max payload 80 kg (176.36 lb)



189. Avenger B6039CS High windup 39 steel stand (Ref: dma-B6039CS)

Chrome steel stand with 3 sections, 2 risers and 1 levelling leg.



182. Manfrotto 083NW Wind up Chrome stand (Ref: dm-0083nw)

The Manfrotto 083NW 2-Section Wind-up Stand is a chromium plated steel stand with geared column and one levelling leg, rugged and heavy duty



184. Manfrotto 087NW Wind up stand (Ref: dm-0087nw)

The Manfrotto 087NW Wind-Up Stand is a 12' tall chromium plated steel stand with geared column and one levelling leg.



186. Manfrotto 111BSU Tall cine stand (Ref: dm-0111BSU)

Black chrome plated steel stand. 3 sections, 2 risers. 1 levelling leg. The small footprint makes this stand perfect for tight spaces.



188. Manfrotto -670BU Super steel stand (Ref: dm-0670BU)

4.77m Super stand.



190. Avenger B7057 Long john silver stand (Ref: dma-B7057)

The Avenger Long John Silver is a wincher driven hoisting system that raises over 19 feet high, with the most important lighting loads in the new cine market (in terms of heads and movers) up to 264 lb



STAND,BOOMS & POLES



191. Avenger B7057FF Long john silver stand (Ref: dma-B7057FF)

Heavy duty stand complete with foam fill
braked wheels. 5 sections, 4 risers. Includes
Wind Brace Kit B9000W.

