

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.02.2020

version no: 10

Revision: 17.02.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: **Fotospeed (CD11) Machine Developer**

Article number: 100143

**Ingredients**

None of the ingredients is listed.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Developer for photographic use

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Jay House LTD

Lower Beversbrook, Industrial Estate, Redman Road, Calne, SN11 9PL

Tel.: +44 (0) 1249714555;

www.Fotospeed.com; E-mail: info@fotospeed.com

Further information obtainable from: Department product safety. E-Mail: info@fotospeed.com .

1.4 Emergency telephone number: Jay House Ltd Tel.:+44(0) 1249 714555 (open: 8am till 5pm)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer.

Aquatic Acute 1 H400 Very toxic to aquatic life.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS07



GHS08



GHS09

Signal word Warning

#### Hazard-determining components of labelling:

hydroquinone

4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one (HMP)

#### Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

#### Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.02.2020

version no: 10

Revision: 17.02.2020

### Trade name: Fotospeed (CD11) Machine Developer

(Contd. of page 1)

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local regulations.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

. **PBT:** Not applicable.

. **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Chemical characterisation: Mixtures

. **Description:** Mixture of substances listed below and with nonhazardous additions.

#### Dangerous components:

CAS: 584-08-7	potassium carbonate	5-10%
EINECS: 209-529-3	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
Reg.nr.: 01-2119532646-36		
CAS: 140-01-2	Diethylenetriaminepentaacetic acid, pentasodium salt (DTPA-Na5)	1-5%
EINECS: 205-391-3	⚠ Repr. 2, H361; ⚠ Acute Tox. 4, H332	
Reg.nr.: 01-2119474445-33		
CAS: 123-31-9	hydroquinone	1-5%
EINECS: 204-617-8	⚠ Muta. 2, H341; Carc. 2, H351; ⚠ Eye Dam. 1, H318; ⚠ Aquatic	
Index number: 604-005-00-4	Acute 1, H400 (M=10); ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	
Reg.nr.: 01-2119524016-51		
CAS: 13047-13-7	4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one (HMP)	<1%
EINECS: 235-920-3	⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	

. **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

. **After inhalation:** Supply fresh air and to be sure call for a doctor.

. **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

. **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

. **After swallowing:** If symptoms persist consult doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

EN

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.02.2020

version no: 10

Revision: 17.02.2020

**Trade name: Fotospeed (CD11) Machine Developer**

(Contd. of page 2)

### SECTION 5: Firefighting measures

- . **5.1 Extinguishing media**
- . **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- . **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- . **5.3 Advice for firefighters**
- . **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- . **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- . **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- . **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- . **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- . **7.1 Precautions for safe handling** Keep receptacles tightly sealed.
- . **Information about fire - and explosion protection:** No special measures required.
- . **7.2 Conditions for safe storage, including any incompatibilities**
- . **Storage:**
- . **Requirements to be met by storerooms and receptacles:** No special requirements.
- . **Information about storage in one common storage facility:** Store away from foodstuffs.
- . **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Store under lock and key and out of the reach of children.  
Recommended storage temperature: 5-30°C  
Protect from exposure to the light.
- . **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- . **Additional information about design of technical facilities:** No further data; see item 7.

#### . 8.1 Control parameters

#### . **Ingredients with limit values that require monitoring at the workplace:**

##### **123-31-9 hydroquinone (1-5%)**

WEL Long-term value: 0.5 mg/m<sup>3</sup>

#### . **DNELs**

##### **123-31-9 hydroquinone**

Dermal Long-term - systemic - effects 128 mg/kg bw/day (wkd)

Long-term - systemic effects 64 mg/kg bw/day (wkd)

Inhalative Long-term exposure-local effects 7 mg/m<sup>3</sup> (wkd)

Long-term - local - effects 1 mg/m<sup>3</sup> (wkd)

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.02.2020

version no: 10

Revision: 17.02.2020

**Trade name: Fotospeed (CD11) Machine Developer**

(Contd. of page 3)

Long-term - systemic effects 1.74 mg/m<sup>3</sup> (wkd)Long-term - local effects 0.5 mg/m<sup>3</sup> (wkd)**PNECs****123-31-9 hydroquinone**

Aquatic compartment - freshwater	0.000114 mg/l (Water)
Aquatic compartment - marine water	0.000114 mg/l (Water)
Aquatic compartment -water,intermittent releases	0.00134 mg/l (Water)
Aquatic compartment -sediment in freshwater	0.00098 mg/kg sed dw (Water)
Aquatic compartment -sediment in marine water	0.000097 mg/kg sed dw (Water)
Terrestrial compartment -soil	0.000129 mg/kg dw (Soil)
Sewage treatment plant (Abwasserreinigungsanlagen)	0.71 mg/l (Sewage Treatment Plant)

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

**Respiratory protection:** Ensure adequate ventilation

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

Glove material	breakthroug-time	layer thickness
Butyl rubber:	≥480 min	≥0,4mm
Nitrile rubber:	≥480 min	≥0,38mm
Neoprene:	≥240 min	≥0,65mm

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**As protection from splashes gloves made of the following materials are suitable:**

- Nitrile rubber, NBR
- Neoprene gloves

**Eye protection:**

Tightly sealed goggles

**Body protection:** Protective work clothing

-EN-

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.02.2020

version no: 10

Revision: 17.02.2020

Trade name: Fotospeed (CD11) Machine Developer

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

#### . 9.1 Information on basic physical and chemical properties

##### . General Information

##### . Appearance:

Form:	Fluid
Colour:	Light yellow
Odour:	Nearly odourless

. pH-value at 20 °C: ~10.5

##### . Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.

. Flash point: Not applicable.

. Auto-ignition temperature: Product is not selfigniting.

. Explosive properties: Product does not present an explosion hazard.

. Vapour pressure at 20 °C: 23 hPa

. Density at 20 °C: ~1.2 g/cm<sup>3</sup>

##### . Solubility in / Miscibility with water:

Fully miscible.

##### . Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

##### . Solvent content:

Organic solvents:	0.0 %
Water:	50-90 %

. 9.2 Other information No further relevant information available.

### SECTION 10: Stability and reactivity

. 10.1 Reactivity No further relevant information available.

#### . 10.2 Chemical stability

. Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

. 10.3 Possibility of hazardous reactions No dangerous reactions known.

. 10.4 Conditions to avoid No further relevant information available.

. 10.5 Incompatible materials: No further relevant information available.

. 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

#### . 11.1 Information on toxicological effects

. Acute toxicity Based on available data, the classification criteria are not met.

##### . LD/LC50 values relevant for classification:

##### 584-08-7 potassium carbonate

Oral LD50 >2000 mg/kg (rat)

##### 140-01-2 Diethylenetriaminepentaacetic acid, pentasodium salt (DTPA-Na5)

Oral LD50 >2000 mg/kg (rat)

##### 123-31-9 hydroquinone

Oral LD50 302 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.02.2020

version no: 10

Revision: 17.02.2020

**Trade name: Fotospeed (CD11) Machine Developer**

(Contd. of page 5)

**13047-13-7 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one (HMP)**

Oral LD50 566 mg/kg (rat)

- . **Primary irritant effect:**
- . **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- . **Serious eye damage/irritation**  
Causes serious eye irritation.
- . **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- . **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- . **Germ cell mutagenicity**  
Suspected of causing genetic defects.
- . **Carcinogenicity**  
Suspected of causing cancer.
- . **Reproductive toxicity** Based on available data, the classification criteria are not met.
- . **STOT-single exposure** Based on available data, the classification criteria are not met.
- . **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- . **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

. **12.1 Toxicity**

. **Aquatic toxicity:**

**140-01-2 Diethylenetriaminepentaacetic acid, pentasodium salt (DTPA-Na5)**

EC50 48h: &gt;500 mg/l (daphnia magna (Water flea))

48h: &gt;500 mg/l (Invertebrates)

LC50 96h: 1115 mg/l (fish)

96h: &gt;1000 mg/l (Lepomis macrochirus (Sonnenbarsch))

**123-31-9 hydroquinone**

EC50 48h: 0.29 mg/l (daphnia magna (Water flea))

LC50 96h: 0.044 mg/l (fish: Pimephales promelas)

**13047-13-7 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one (HMP)**

LC50 1-10 mg/l (fish)

- . **12.2 Persistence and degradability** No further relevant information available.
- . **12.3 Bioaccumulative potential** No further relevant information available.
- . **12.4 Mobility in soil** No further relevant information available.

. **Ecotoxicological effects:**

. **Remark:** Harmful to fish

. **Additional ecological information:**

. **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

. **12.5 Results of PBT and vPvB assessment**

. **PBT:** Not applicable.

. **vPvB:** Not applicable.

. **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

. **13.1 Waste treatment methods**

. **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.02.2020

version no: 10

Revision: 17.02.2020

**Trade name: Fotospeed (CD11) Machine Developer**

(Contd. of page 6)

**European waste catalogue**

09 01 01 water-based developer and activator solutions

**Uncleaned packaging:**
**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

**14.1 UN-Number**
**ADR, IMDG, IATA**

UN3082

**14.2 UN proper shipping name**
**ADR**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydroquinone (1,4-dihydroxybenzene))

**IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone, 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one (HMP)), MARINE POLLUTANT

**IATA**

Environmentally hazardous substance, liquid, n.o.s. (hydroquinone, 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one (HMP))

**14.3 Transport hazard class(es)**
**ADR**
**Class**

9 (M6) Miscellaneous dangerous substances and articles.

**Label**

9

**IMDG, IATA**
**Class**

9 Miscellaneous dangerous substances and articles.

**Label**

9

**14.4 Packing group**
**ADR, IMDG, IATA**

III

**14.5 Environmental hazards:**

Product contains environmentally hazardous substances: hydroquinone

**Marine pollutant:**

Yes

**Special marking (ADR):**

Symbol (fish and tree)

**Special marking (IATA):**

Symbol (fish and tree)

Symbol (fish and tree)

**14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

**Hazard identification number (Kemler code):**

90

**EMS Number:**

F-A,S-F

**Segregation groups**

Alkalis

**Stowage Category**

A

**14.7 Transport in bulk according to Annex II of**
**Marpol and the IBC Code**

Not applicable.

**Transport/Additional information:**
**ADR**
**Limited quantities (LQ)**

5L

**Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

**Transport category**

3

(Contd. on page 8)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 17.02.2020

version no: 10

Revision: 17.02.2020

**Trade name: Fotospeed (CD11) Machine Developer**

(Contd. of page 7)

. <b>Tunnel restriction code</b>	E
. <b>IMDG</b>	
. <b>Limited quantities (LQ)</b>	5L
. <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
. <b>UN "Model Regulation":</b>	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

### SECTION 15: Regulatory information

- . **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- . **Directive 2012/18/EU**
- . **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- . **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- . **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- . **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### . **Relevant phrases**

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child. Route of exposure: Oral.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

. **Contact:** E: info@fotospeed.com .

#### **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 ICAO: International Civil Aviation Organisation  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Acute Tox. 4: Acute toxicity - inhalation – Category 4  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 Skin Sens. 1: Skin sensitisation – Category 1

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.02.2020

version no: 10

Revision: 17.02.2020

**Trade name: Fotospeed (CD11) Machine Developer**

(Contd. of page 8)

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

**\* Data compared to the previous version altered.**

-EN-