

## P3 Production Matt Canvas 380gsm

Digital & Fine Art Archival Printing Solutions for the Imagemaker

### Description of Product:

A highly water resistant canvas made from a 80/20 Polyester/Cotton blend. The bright white, fine textured matt surface gives it a wide tonal range, large colour gamut, ultra image sharpness and high D-max rating ensuring it works well for both colour and monochrome reproductions.

### Technical Information:

- \* Weight – 380gsm
- \* Thickness – 0.50mm
- \* Whiteness – (CIE) 110
- \* Coatings – Single-sided fine textured matt canvas.
- \* Primary Features – Bright white Polycotton blend, Excellent colour saturation, Exceptional image definition, Highly flexible, Non cracking water resistant canvas.

### Media Availability:

Rolls            24"x18m            36"x18m            44"x18m            60"x18m

### Applications of Use:

Portraiture reproduction & restoration work, Presentation & display art, Banner applications, paintings for commercial inkjet printers with medium to high volume output.

### Printer & Ink Compatibility:

PermaJet P3 Production Matt Canvas has been designed for use with Dye & Pigment inkjet systems. The media has been designed, manufactured and tested for use with Epson, HP, Canon and Lexmark printers. This canvas grade is also Latex ink compatible. We would strongly recommend using one of the PermaPROtect range of varnishes to increase image density and archival resistance - you will be truly amazed by the stunning results.

### Storage & Conditions of Use:

The storage and use of the product should be in a climate and a temperature of 10 to 30° C at a relative humidity of 30 to 60%. Always keep the product in its original packaging or in archival quality folders. Where possible, always handle the paper or printed surface by its edges.

All recommendations and product indications are for guidance, and are subject to our test criteria, these remain subject to change without prior notice. There is no guarantee that the same results can be consistent.

### Production Method:

